

PGF32I-1



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	30 cm
Power supply	Electric
Type	Induction
EAN code	8017709161941



Aesthetics



Aesthetic	Classic
Colour	Stainless steel
Material	Stainless Steel
Type of steel	Brushed
Frame	Yes
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Serigraphy colour	Black

Programs / Functions

Total no. of cook zones	2
No. of induction cook zones	2

Options



Standard cut out	494x292 mm	Control Lock / Child Safety	Yes
------------------	------------	-----------------------------	-----

Technical Features



Front-centre - Induction - Single - 1.40 kW - Booster 2.20 kW - Ø 14.5 cm

Rear-centre - Induction - Single - 1.80 kW - Booster 3.00 kW - Ø 21.0 cm


Automatic setting according to pan dimension Yes
pan detection Yes
Minimum pan diameter indication Yes

Automatic switch off when overheat Yes
Residual heat indicator Yes
Protection against accidental start up Yes

Electrical Connection

Electrical connection rating (W) 3500 W
Current 16 A
Voltage (V) 220-240 V

Type of electric cable Single phase
Frequency (Hz) 50/60 Hz
Power supply cable length 120 cm



Not included accessories



LGPGF-1

Aluminium connecting strip for PGF



SCRP







Induction and ceramic hobs and
teppanyaki scraper

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary (TT)

	Ultra-low profile: Installation of product with flat edge - height of 1 mm.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Knobs control