QUICK REFERENCE GUIDE > OR90SCI4X1

# Freestanding Cooker, Induction, 90cm, 5 Zones with SmartZone

Series 7 | Classic

Stainless Steel




Heritage styling with contemporary performance in the large convection oven and induction cooktop, with SmartZone capability.

- Five cooking zones, with the ability to pair zones to create SmartZones
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake with pizza mode and rapid proof for making bread
- Non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height	898 - 946mm
Width	897mm
Depth	600mm



### **FEATURES & BENEFITS**

### Multi-shelf cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

### Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, precise electric temperature control and chromed cast zinc dials all add up to an exceptional, premium range.

### Power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Easy to clean

Your cooktop simply needs a quick wipe to keep it looking good as new for years to come. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

### Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

### Large capacity oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

# **SPECIFICATIONS**

### Accessories

Chromed shelf runners 1 set

Flat wire shelf 1

Full Extension Telescopic 1 set (part 578744)

Full extension sliding shelves 1 set (part 578744)

Grill rack •

Kick strip, stainless steel Part 81661

Roasting dish 1

Step down wire shelf

## Capacity

Shelf positions 6

### Cleaning

Acid resistant graphite enamel

QUICK REFERENCE GUIDE > OR90SCI4X1 Date: 05.10.2021 > 2

Elases pleam glies surface   Clases base	Drop down grill element	•	Bake	•	Hob rail	•
Removable oven door inner	Flat easy clean glass surface	•	Classic bake	•	Induction cooking technology	•
Figure   F	Removable oven door	•	Fan bake	•	SmartZone	1
Controls         Mumber of functions         9         Centre         2300W           Audio feedback         •         Pastry Bake with Pizza mode         •         Left front         1600W           Automatic cooking/minute         •         Rapid prometer         •         Electronic cooking/minute         Left rear         2000W           Automatic pre-set         •         Road         •         Powerfloost         •           Celsius/Fahrenheit         •         True convection         •         Safety           Laser ethed graphics         •         Oven performance         Advanced cooling system         •           Laser ethed graphics         •         Cool Touch door         Triple glazed         Anti-litt bracket         •           Laser ethed graphics         •         Cool Touch door         Triple glazed         Anti-litt bracket         •           Sabbath mode         •         Fower requirements         Child lock         •         •           Turned stainless steel clock         •         Appearege         67A         CoolTouch door         1 set (part \$378744)           Oven features         Supply frequency         50Hz         Full extension telescopic         1 set (part \$378744)           Automatic rapid pro-heat	Removable oven door inner	•	Fan forced	•	Zone bridging	•
Controls         Number of functions         9         Centre         2300W           Audio feedback         Pastry Bake with Pizza mode         -         Left front         1600W           Automatic cooking/minute         -         Rapid proof         -         Left rear         2100W           Automatic pre-set         -         Roset         -         PowerBoost         -           Celsius/Fahrenheit         -         True convection         -         -           Electronic clock         -         Coord receptor         Advanced cooling system         -           Laser etched graphics         -         Coord out-door         Ant-lift bracket         -           Precise electronic temperature         -         Coord out-door         Ant-lift bracket         -           Sabbath mode         -         Coord out-door         Ant-lift bracket         -           Toughened fused glass         -         Power requirements         Child lock         -           Turned staniless steel clock         -         Supply frequency         50Hz         Full extension telescopic         1 set (part 578744)           Oven features         -         Supply voltage         220-240V         Full extension telescopic         1 set (part 578744)	Removable shelf runners	•	Fan grill	•		
Audio feedback			Grill	•	Cooktop Performance	
Automatic cooking/minute         Rapid proof         Left rear         2100w           Automatic pre-set         Roast         PowerBoost         -           Celsius/Fahrenheit         True convection         Safety           Electronic clock         -         Safety           Laser etched graphics         Oven performance         Advanced cooling system         -           Precise electronic temperature         CoolTouch door         Triple glazed         Advanced cooling system         -           Sabbath mode         CoolTouch door         Triple glazed         Advanced cooling system         -           Toughened fused glass         Power requirements         Child lock         -           Turned stainless steel clock         Amperage         67A         CoolTouch door         -           Turned stainless steel clock         Amperage         67A         CoolTouch door         1 set (part 578744)           Oven features         Supply voltage         220-240V         Full extension telescopic         1 set (part 578744)           Automatic rapid pre-heat         Product dimensions         Pan detection system         -           Electronic oven control         Depth         600mm         Sefety time out         -           Full extension telescopic         Width <td>Controls</td> <td></td> <td>Number of functions</td> <td>9</td> <td>Centre</td> <td>2300W</td>	Controls		Number of functions	9	Centre	2300W
Automatic pre-set	Audio feedback	•	Pastry Bake with Pizza mode	•	Left front	1600W
Celsius/Farherheit	Automatic cooking/minute	•	Rapid proof	•	Left rear	2100W
Electronic clock	Automatic pre-set	•	Roast	•	PowerBoost	•
Laser etched graphics  Precise electronic temperature  CoolTouch door  Triple glazed Anti-tilt bracket  Advanced cooling system  Advanced cooling system  Advanced cooling system  Advanced cooling system  Atvanced cooling system  Atvanced cooling system  Atvanced cooling system  Advanced cooling system  Atvanced cooling system  Advanced cooling system  Atvanced cooling system  Atvanced cooling system  Advanced cooling system  Atvanced cooling system  Advanced cooling system  Atvanced cooling system  Atvanced cooling system  Advanced cooling system  Atvanced cooling system  Advanced cooling system  Atvanced oor door  Ambridit bracket  Anti-tilt bracket  Collid lock  CoolTouch door  Collid lock  CoolTouch door  Full extension telescopic  Supply requency  Supply r	Celsius/Fahrenheit	•	True convection	•		
Precise electronic temperature	Electronic clock	•			Safety	
Sabbath mode - Power requirements Child lock - Child lock	Laser etched graphics	•	Oven performance		Advanced cooling system	•
Toughened fused glass  Power requirements  Child lock  Amperage 67A CoolTouch door  Supply frequency 50Hz Full extension telescopic 1 set (part 578744)  Oven features  Supply voltage 220-240V Full extension telescopic Non-tip shelves  Automatic rapid pre-heat Full extension telescopic  Automatic rapid pre-heat Penduct dimensions Full extension telescopic Penduct disensions Full extension telescopic Penduct extension telescopic Pen	Precise electronic temperature	•	CoolTouch door	Triple glazed	Anti-tilt bracket	•
Amperage 67A CoolTouch door . Supply frequency 50Hz Full extension telescopic 1 set (part 578744)  Oven features Supply voltage 220-240V Full extension telescopic .  AeroTech™ technology  Automatic rapid pre-heat	Sabbath mode	•			Balanced oven door	•
Supply frequency Supply frequency Supply requency Supply requ	Toughened fused glass	•	Power requirements		Child lock	•
Oven features     Supply voltage     220-240V     Full extension telescopic     •       AeroTech™ technology     •     Non-tip shelves     •       Automatic rapid pre-heat     •     Product dimensions     Pan detection system     •       Electronic oven control     •     Depth     600mm     Safety time out     •       Full extension telescopic     •     Height     898 - 946mm     Spillage auto off     •       Internal light     4 x 25W halogen (2 side & 2     Width     897mm     Surface hot indicators     •       Soft open/close door     •     Cooktop Features     Warranty       True convection     •     Auto heat reduce     •     Parts and labour     2 years       Twin cavity fans     •     Dual colour display     •     SKII     SKII     8864	Turned stainless steel clock	•	Amperage	67A	CoolTouch door	•
AeroTech™ technology  Automatic rapid pre-heat  Product dimensions  Electronic oven control  Depth 600mm Safety time out  Height 898 - 946mm Spillage auto off  Internal light 4 x 25W halogen (2 side & 2  Width 897mm Surface hot indicators  Tue convection  True convection  Auto heat reduce Dual colour display Gentle heat  SKILL  SKILL  Non-tip shelves  Non-tip shelves  Non-tip shelves  Non-tip shelves  Non-tip shelves  Nan-tip shelves  Andetection system  Andetection system  Pan detection system  Safety time out  Safety time out  Spillage auto off  Warranty  Warranty  True convection  Parts and labour 2 years  SKILL			Supply frequency	50Hz	Full extension telescopic	1 set (part 578744)
Automatic rapid pre-heat  Product dimensions  Pan detection system  Safety time out  Height  B98 - 946mm  Spillage auto off  Internal light  4 x 25W halogen (2 side & 2 Width  Soft open/close door  Soft open/close door  Cooktop Features  True convection  True convection  Twin cavity fans  Gentle heat  Pan detection system  Safety time out  Safe	Oven features		Supply voltage	220-240V	Full extension telescopic	•
Electronic oven control · Depth 600mm Safety time out · Electronic oven control · Depth 600mm Safety time out · Electronic oven control · Height 898 - 946mm Spillage auto off · Electronic oven control · Height 898 - 946mm Spillage auto off · Surface hot indicators · Surface hot indicators · Surface hot indicators · Surface hot indicators · Electronic oven control · Cooktop Features · Warranty  True convection · Auto heat reduce · Parts and labour 2 years  Twin cavity fans · Dual colour display · Electronic oven control oven first time out of the part o	AeroTech™ technology	•			Non-tip shelves	•
Full extension telescopic  • Height  898 - 946mm  Spillage auto off  • Under nal light  4 x 25W halogen (2 side & 2  Width  897mm  Surface hot indicators  • Soft open/close door  Storage drawer  • Cooktop Features  True convection  • Auto heat reduce  • Parts and labour  2 years  Twin cavity fans  • Dual colour display  Gentle heat  • SKILL  81684	Automatic rapid pre-heat	•	Product dimensions		Pan detection system	•
Internal light 4 x 25W halogen (2 side & 2 Width 897mm Surface hot indicators •  Soft open/close door •  Storage drawer • Cooktop Features  True convection • Auto heat reduce • Parts and labour 2 years  Twin cavity fans • Dual colour display • SKII • SKI	Electronic oven control	•	Depth	600mm	Safety time out	•
Soft open/close door  Storage drawer  True convection  Twin cavity fans  Dual colour display  Gentle heat  Warranty  Warranty  Parts and labour  Parts and labour  Skill	Full extension telescopic	•	Height	898 - 946mm	Spillage auto off	•
Storage drawer  True convection  Auto heat reduce  Dual colour display  Gentle heat  Warranty  Parts and labour  Parts and labour  Parts and labour  Skill	Internal light	4 x 25W halogen (2 side & 2	Width	897mm	Surface hot indicators	•
True convection  Auto heat reduce  Dual colour display  Gentle heat  Skill  Ski	Soft open/close door	•				
Twin cavity fans  Dual colour display  Gentle heat  Skill	Storage drawer	•	Cooktop Features		Warranty	
Gentle heat  Skill 81684	True convection	•	Auto heat reduce	•	Parts and labour	2 years
SKII 81684	Twin cavity fans	•	Dual colour display	•		
Oven functions Heat settings 9 SKU 81684			Gentle heat	•		
The continues of the co	Oven functions		Heat settings	9	SKU	81684

QUICK REFERENCE GUIDE > OR90SCI4X1 Date: 05.10.2021 > 3

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

# Other product downloads available at fisherpaykel.com



User Guide



Service & Warranty



Installation Guide



Installation Guide - Kick Strip



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 Wwww.fisherpaykel.com