

60cm Multifunction 13 / 7 Duo oven with Pyrolux pyrolytic cleaning in both oven cavities, IOI (Intuitive Oven Interface), Smart Food Probe, FullFlex telescopic runners and soft close doors.

RRP AUS \$4,549.00



Product Details

FEATURES

Unique IOI™ technology* – no manuals required	IOI makes cooking easy	Elegant and effective oven display	Smart Food Probe
Pyrolux pyrolytic self-cleaning duo ovens	Huge 80 litre main and 43 litre gross capacity ovens	Quadruple glazed doors	Soft close door
FullFlex Telescopic Runners	Mark resistant stainless steel		

BENEFITS

IOI makes cooking easy
Experience a simpler, more enjoyable way to cook. Our unique Intuitive Oven Interface (IOI) makes our ovens so easy to use you won't need a manual. Plus the elegant full colour screen displays temperature and function feedback so you can easily program and check your cooking for impressive results without the extra effort.

Smart Food Probe
Never overcook a roast again. The convenient Smart Food Probe measures the core temperature of food and switches off the oven when it's ready.

Pyrolux pyrolytic self-cleaning duo ovens
The first duo oven that cleans itself in both ovens. Pyrolux pyrolytic cleaning removes the need for you to use harsh chemicals to clean your oven. Simply set the Pyrolux Pyro Clean function, come back when it is complete and wipe away the residue. Even during the 490 degree Pyrolux Pyro Clean process the door temperature is still cool enough to safely touch.

Ideal for entertaining
The Duo ovens allow you to cook a variety of dishes at once, making this an ideal oven for entertaining. Designed for the entertainer and large families, this large capacity 80-litre oven with a generous 43 litre second oven makes catering for every occasion quick and easy. Plus, energy use is also kept to a minimum, despite its size.

FullFlex Telescopic Runners

Our FullFlex telescopic runners give you safe, easy access all areas of your oven. This makes it easier to turn and stir your food for great results every time.

Comfortable and safe

Cooler touch oven doors for added safety and confidence in the kitchen. The cooler touch doors feature an innovative door cooling system with multiple glazed door panels. The door design minimises heat being transferred outside the oven, while ensuring a cooler touch oven door and cooler kitchen environment. Stay cool when you're entertaining.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Oven	duo oven
Oven fuel	electric
Materials/Colour	mark resistant stainless steel,black
Controls of Oven	IOI,touch
Cooling fan	Yes

FLUSH FIT CUT OUT

Flush fit cut out height (mm)	893
Flush fit cut out width (mm)	600
Flush fit cut out depth (mm)	581

DIMENSIONS

PRODUCT DIMENSION

Total height (mm)	890
Total width (mm)	596
Total depth (mm)	573

MAIN OVEN

Gross capacity litres	80
Useable capacity litres	72
Oven function	multifunction
Number of functions	13

MAIN OVEN

Oven Functions	traditional bake,roast,pizza,cook from frozen,full grill,grill,fan grill,keep warm,defrost,fan cooking,fan assist bake,pastry,pyro clean
----------------	--

Oven liner	pyrolux high temperature enamel
------------	---------------------------------

Timer functions	acoustic signal,duration,end,minute minder,oven start,stop,Countdown
-----------------	--

Light wattage	25
---------------	----

SECOND OVEN OR GRILL

Gross capacity litres	46
-----------------------	----

Useable capacity litres	38
-------------------------	----

Oven functions	multifunction
----------------	---------------

Number of functions	7
---------------------	---

Oven Functions	fan assist bake,traditional bake,pastry,grill,fan grill,keep warm,pyro clean
----------------	--

Fold down grill element	Yes
-------------------------	-----

Closed door grilling	Yes
----------------------	-----

Shelf support	multi position side racks
---------------	---------------------------

ELECTRICAL CONNECTION

Connected load KW	5.3
-------------------	-----

Maximum current rating (amps)	22.1
-------------------------------	------

Type of connection	hardwired
--------------------	-----------

Minimum Fuse rating (amps)	25
----------------------------	----

SECOND OVEN OR GRILL

Number of shelves	1
Number of shelf positions	3
Lights	1
Light position	top
Layers of glass in door	4
Telescopic runners	one
Cleaning	pyrolytic


OTHER FEATURES

Cleaning	pyrolytic
Pyrolitic functions	3
Type of Pyrolitic functions	pyroltic light soil,pyrolitic medium soil,pyrolitic heavy soil
Door	removable door,removable inner glass panes,cool door
Timer	Fully programmable touch control timer
Lights	1

OTHER FEATURES

Light wattage	25
Light position	back
Telescopic runners	two
Shelf support	multi position side racks
Number of shelves	2
Safety features	cool door
Closed door grilling	Yes
Fold down grill element	Yes
Included accessories	baking tray, 2 x chromed wire shelf, telescopic runners, side racks, anti splatter grill insert
Layers of glass in door	4
Number of shelf positions	6

Dimensions



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz