
# **80 cm Induction Cooktop**





	PIN875N14E
	HIM Rectilet Both
Alternative colors available	Black(PIN875N14E)
Characteristics	- Stainless steel Stainless steel side profiles with beveled ceramic front  - 4 induction cooking zones with PowerBoost function for each cooking zone  - Left zone: 3.3 KW; with PowerBoost 3.6 KW (Ø 190 mm - 400 mm)  - Rear right zone: 2.4 kW; with PowerBoost 3.6 kW (Ø 280 mm)  - Front right zone: 1.4 kW with PowerBoost 1.8 kW (Ø 145 mm)  - Automatic pan recognition sensor  - 17-stage power setting for each cooking zone  - Electronic sensor-touch control with DirectSelect  - Power ON indicator via on/off switch  - 7-segment LED display for each zone  - Timer with time programing functions  - WipeProtection  - Spill protection  - Digital 2-stage residual heat indicator for each cooking zone  - Child lock function  - Automatic safety switch-off  - Integrated cooling fan

### **Technical Data**



#### PIN875N14E

#### Characteristics

Product name/family : Cooking zone ceramic

Built-in / Free-standing : Built-in

Energy input : Electric

Total number of positions that can be used at the

same time: 4

Type of control setting devices : Precise Timer Required niche size for installation (HxWxD) : 50 x

750-780 x 490-500

Width of the product (mm): 816

Dimensions of the product (mm): 56.0 x 816 x 527

Net weight (kg): 15.000
Gross weight (kg): 16.000
Location of control panel: Hob front
Color of surface: Black, Stainless steel
Color of frame: Stainless steel
Approval certificates: AENOR, CE
Length electrical supply cord (cm): 110.0
Consumption and connection features

Electrical connection rating (W): 7200

Voltage (V): 220-240 Frequency (Hz): 50; 60


2013-02-04


#### Included accessories

1 x adjustment strip 750 - 780 mm


#### EAN code

4242002622576





Measurements in mm



Measurements in mm

## **Technical Data**



#### PIN875N14E

