


iQ700 ER326BB70A 30 cm Gas Cooktop, Black ceramic glass





Enjoy gas cooking thanks to the Domino cooktop with its elegantly lustrous, easy-to-clean glass ceramic surface.

- ✓ Precise heat control and full heating power instantly available thanks to gas cooking.
- ✓ Extremely heat-resistant and easy to clean the modern glass ceramic surface.
- ✓ The 30 cm wide gas cooktop is ideal for combining with other Domino or faceted design cooktops.

Feature

Technical Data

Product name/family : Vario/Domino gas hob w control Built-in / Free-standing : CONSTR_TYPE.Built-in

Energy input: Gas

Total number of positions that can be used at the same time : 2 Required niche size for installation (HxWxD) : $45 \times 270 \times 490$ -500

Width of the product (mm): 302

Dimensions of the product (mm) : $45 \times 302 \times 520$

Net weight (kg): 7.0 Gross weight (kg): 7.0

Residual heat indicator : without Location of control panel : Hob front Basic surface material : Ceramic Color of surface : Black, Stainless steel Color of frame : Black, Stainless steel

Approval certificates : CE

Length electrical supply cord (cm): 100

EAN code: 4242003601259 Electrical connection rating (W): 1 Gas connection rating (W): 4700

Current (A) : 3 Voltage (V) : 240 Frequency (Hz) : 50

Included accessories

1 x cross support for espresso

1 x governor 10mbar NG (AU)

1 x test point



Optional accessories

HZ394301 Connecting strip HZ298105 Simmer plate



iQ700 ER326BB70A 30 cm Gas Cooktop, Black ceramic glass

Features

Design

- 2 burner Black gas cooktop
- Connecting cable 1 m with plug
- Facette design with stainless steel side profiles and beveled ceramic glass front
- Enamelled cast-iron pan supports with non-scratch rubber feet
- Can be combined with other 3- or 4-series Domino cooktops

Convenience

- One-hand ignition
- 1 NO_FEATURE
- Dishwasher safe pan supports

Power and Mode of Operation

- 1 rapid, 1 standard burner
- Front: Standard burner 7.9 Mj
- Rear: Rapid speed burner 11.5 Mj
- Suitable for natural gas (factory set-up) or LPG (via included conversion kit)

Safety and Environment

• Flame failure device fitted to each individual burner



iQ700 ER326BB70A 30 cm Gas Cooktop, Black ceramic glass

Dimensioned drawings 572 302 392 964 392 662 602 1174 812 1384 912 1484 min. 60-50 min. 60-50 490-500+2 ≦min. 490-500+2 50: min. 600 min. min. 600 When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc). When installing two Domino units right next to a hob, two assembly kits (HZ394301) are required. measurements in mm Measurements in mm Picture for the table Domino combination possibilities with corresponding devices and cutout dimensions 392 662 602 872 812 1082 912 1182 min. 60-50 490-500+2 min. min. 600 490-500+2 min. 600 When installing a Domino unit right next to a hob, an assembly kit (HZ394301) is required. If two or more elements are installed right next to one another, one or several installation kits are required (2 elements 1 installation kit, 3 elements 2 installation kits, etc.). measurements in mm Cutout dimension (X) depending on the combination see table: 302 874 392 964 Dimensions in mm min. 60-50 490-500+2 min. min. 600 When installing two or more Domino units side-by-side, one or more assembly kits are required (2 units = 1 assembly kit, 3 units = 2 assembly kits, etc).

Measurements in mm