


**iQ700**  
**SX578S02TA**  
**stainless steel finish**  
**semi-integrated 60 cm tallTUB**  
**Dishwasher**



- ✓ varioSpeed: Up to 50% faster wash programs without sacrificing wash and drying results
- ✓ emotionLight bathes the dishwasher interior in a cool blue light
- ✓ 42 dB – super quiet dishwashing with a brilliant shine.

## Features

### Technical Data

Water consumption (l) : 12.0  
 Built-in / Free-standing : Built-in  
 Height of removable worktop (mm) : 865  
 Required niche size for installation (HxWxD) : 865-925 x 600 x 550  
 Depth with open door 90 degree (mm) : 1200  
 Adjustable feet : Yes - front only  
 Maximum adjustability feet (mm) : 60  
 Net weight (kg) : 49.0  
 Gross weight (kg) : 52.0  
 Connection Rating (W) : 2400  
 Current (A) : 10  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60  
 Length electrical supply cord (cm) : 175  
 Plug type : AU plug  
 Length inlet hose (cm) : 165  
 Length outlet hose (cm) : 190  
 EAN code : 4242003693698  
 Number of place settings : 15  
 Energy consumption (kWh) : 0.55  
 Reference programme : Eco  
 Total cycle time of reference programme (min) : 160  
 Installation typology : Half-integrated



4 242003 693698

## Optional accessories

SZ73300	Wineglass-Tray
SZ73115	Decor conversion kit, stainless steel
SZ73100	cutlery basket
SZ72010	inlet and outlet hose extension 2 m

**iQ700**  
**SX578S02TA**  
**stainless steel finish**  
**semi-integrated 60 cm tallTUB**  
**Dishwasher**

## Features

### Capacity

- 15 international place settings

### Consumption rates

- 4.5 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 205kWh energy consumption, based on Eco 45°C program

### Design

- semi-integrated tallTUB Dishwasher - 60 cm wide
- stainless steel finish
- stainless steel interior tub
- servo lock for effortless door closing
- integrated control buttons at the top of the door panel

### Wash Programs and Options

- 8 programs:
  - Auto 35-45°C
  - Auto 45-65°C
  - Auto 65-75°C
  - Eco 45°C
  - Night Program 50°C
  - Glass 40°C
  - Quick Wash 45°C
  - Pre Rinse
- 5 special options:
  - halfLoad Plus: For half loads, reduces energy, water & time
  - varioSpeed: Up to 50% faster wash time
  - intensiveZone: Powerful cleaning in the bottom basket
  - hygienePlus: Removes bacteria from utensils & crockery
  - shine & dry: Unique energy efficient Zeolith® drying cycle

### Performance

- Zeolith® Drying Technology - unique ground-breaking technology absorbs water molecules to dry dishes quicker with ultimate energy efficiency
- advanced 3 stage self-cleaning filter system
- dosageAssist detergent system
- iQdrive: The quietest, fastest, & most durable brushless motor ever built by Siemens
- hydroSensor: Automatic water turbidity detection
- loadSensor: Automatic water level optimisation
- automatic detergent aware system
- hydroDry hygienic drying
- alternating spray technique
- 5 spray levels for complete coverage

### Flexibility

- varioDrawer Pro: Third loading level for cutlery & utensils
- varioFlex Pro basket system with blue coloured touchpoints
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket
- 2 foldable cup shelves in bottom basket
- rackMatic Plus: 3 stage height-adjustable upper basket
- tall glass/champagne glass racks
- large item spray head
- vapor barrier plate

### Convenience

- superSilence: Operates at a low noise level of 42dB
- Night Program operates at an even lower noise level of 40 dB
- emotionLight: Bathes your sparkling clean glassware in a cool blue illumination when you open the door
- TFT Display front
- TFT Display in full colour on inner door
- Audible signal at end of program
- Real time clock actual time display
- Time delay start (1-24 hours)
- Electronic rinse aid/refill indicator

### Safety

- hydroSafe anti-flood protection
- Child door lock
- 5 year warranty

### Dimensions

- 865-925 mm x 598 mm x 573 mm

iQ700

SX578S02TA

stainless steel finish

semi-integrated 60 cm tallTUB

Dishwasher

#### Dimensioned drawings

