


2.7kW window/wall cooling only air conditioner with modern design, remote control, auto swing, timer, sleep mode, gold shield external & blue shield internal corrosion resistant heat exchangers and auto restart.

RRP AUS \$0.00



Product Details

FEATURES

Cooling only operation Combined with dehumidification and fan only modes ensures comfort in your home	5 year comprehensive residential warranty Refer to the warranty terms and conditions in the brochure or on the product's warranty card	Remote control with luminescent keypad Remote control with luminescent keypad	Air swing auto/manual
Sleep mode	24 hour timer Program your air conditioner to turn on and off automatically	Manual operation	Auto restart In the event of an interruption in power supply the unit will restart with the same settings that were selected prior to the power outage

BENEFITS

Be cool in no time at all Ever popular, window/wall models give you the comfort of reverse cycle air conditioning without the need for expensive installation. In fact, some models are so relatively easy to install you could even do it yourself.	Simple, economic and reliable Because there are no separate indoor and outdoor units, its easier to install a window wall cooling only model. And because its a Kelvinator, you know it is reliable and built to last.
Compact The super compact design means that window wall cooling only air conditioners are discreet and unobtrusive in your home. They are also perfect for cooling smaller family homes and space-restricted areas.	Control from your armchair The remote control unit lets you conveniently control all functions
Fresh air delivery The fresh air return provides additional ventilation to your room and can also assist in humidity control. The easy-to-service dust filter removes dust and other larger airborne particles for cleaner air.	

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	5
---------------------------------	---

SPECIFICATIONS

Capacity cool watts	2700
Current rating amps	10 amps
Service cord length	1
Colour of fascia	white
Compressor type	rotary
Indoor sound pressure dBA high setting	50
Indoor sound pressure dBA low setting	46
Outdoor sound pressure dBA	57
Indoor air circulation max (ltr/s)	133
Ambient temperature range minimum	18
Ambient temperature range maximum	46
Moisture removal ltr/hour	1

FEATURES

Filtration	dust
Remote control type	luminescent keypad,LCD
Timer	24 hour
Fan speeds	low,medium,high,Auto

PACKED DIMENSIONS

Shipping Volume (m3)	0.20
Shipping Weight (Kg)	42.5
Pack Dimensions Height (mm)	425

SPECIFICATIONS

New Energy star rating cooling	2
Cooling EER	3.33
Refrigerant weight (g)	410
Refrigerant type	R32
Outdoor Sound Power dBA	67

DIMENSIONS

Total height (mm)	375
Total width (mm)	560
Total depth (mm)	668

STUFFING QUANTITIES

20ft	135
40ft	285
40ft HC	342

PACKED DIMENSIONS

Pack Dimension Width (mm)	623
------------------------------	-----

Pack Dimension Depth (mm)	766
------------------------------	-----

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz