



DOWNDRAFT SYSTEM

Combining power,
performance and sleek
design, the downdraft
extractor is unobtrusively
placed under your kitchen
countertop. Conveniently
raise and activate it at the
touch of your fingertips
when needed and slide it
down once you've finished
cooking.

INTUITIVE TOUCH TO SLIDE CONTROL

Intuitive electronic controls to easily access important functions.

SPACE SAVING & EASY INSTALLATION

Optimal space-saving design to fit in every kitchen. Installation requires minimal ducting, allowing you to utilise the cabinets directly underneath the cooktop, maximising the space in your kitchen.

HIGH PERFORMANCE

Powerful air extraction of up to 700m3/h and 4-speed fan modes, making it an ideal rangehood for open plan kitchens.

ECO FRIENDLY LED LIGHTS

Environmentally responsible LED lights provide ample clarity over the cooking area, which can be conveniently adjusted to your preference via the touch to slide control panel.

SAFER KITCHEN ENVIRONMENT

Packed with safe features to use, which can be directly selected at the touch of your fingertips so that you can master chef at ease.

OPTIMAL CLEAN AIR

5-layer filter equipped with activated charcoal and a stainless-steel surface for optimal removal of smoke and odors.

EASY TO CLEAN

Stain and scratch resistant, the rangehood can be cleaned simply by wiping it down.

RAHP9X

Downdraft Rangehood



Date: 26/1/2022



RAHP9X

LINÄRIE | Marseille 90cm Downdraft Extractor Range Hood in Black Glass and Stainless Steel • RAHP9X



Features

- 90cm Downdraft Extractor Range Hood in Black Glass & Stainless Steel
- Motorised extending/retracting deflector plate
- Powerful air extraction up to 700m3/h
- Premium air quality: activated charcoal filter and 5-layer filter for better odor absorption
- 4 speed air extraction levels
- 2 bright energy-saving LED lights (1.5 W) for ample illumination
- Intuitive touch to slide controls
- Suitable for every home: air extraction or recirculation
- Ideal pairing with Linärie's 80cm induction cooktop [LS80I2F1Z]
- Linärie Care Advice: Replace carbon filter (CF152) every 2-4 months

Products description

Air Flow(m3/h) 700 Motor Power 230W Lamp Power 2*1.5W

Switch Slide Control

Circulation Yes

Power Supply 220-240V/50Hz

Noise level <71 dB(A)
Installation type 10amp plug

Extraction levels 4

Colour Silver & Black

Remote Control No

Warranty

12 Months + BONUS WARRANTY 2 YEARS when registering the product on www.linarie.com.au

Product dimensions

 Product size W x D x H (cm)
 90 x 11.5 x 105.3

 Carton sizeW x D x H (cm)
 98.5 x 52 x 84.5

 Net weight (kg)
 29.5

 Gross weight (kg)
 37.5

 Code EAN
 712221470455







